LAW OFFICES OF

KLIMA & PEZZLO

A PROFESSIONAL CORPORATION Patent, Trademark & Copyright Law

WILLIAM L. KLIMA * BENJAMIN A. PEZZLO *

WALTER F. KLIMA, JR., Ph.D., Chemistry Technical Consultant

*ADMITTED IN PENNSYLVANIA ONLY

*ALSO ADMITTED IN THE DISTRICT OF COLUMBIA

2046-C JEFFERSON DAVIS HIGHWAY STAFFORD, VA 22554 PHONE: (540) 657-9344

FAX: (540) 657-9343

e-mail: commcenter@klima-pezzlo.com website: www.klima-pezzlo.com

August 7, 2000

CRYSTAL CITY OFFICE CRYSTAL PLAZA ONE • SUITE 905 2001 JEFFERSON DAVIS HIGHWAY ARLINGTON, VA 22202-3603 PHONE: (703) 418-0716 (703) 418-2239

AFFILIATIONS FRISENDA, QUINTON & NICHOLSON 11755 WILSHIRE BOULEVARD 10TH FLOOR LOS ANGELES, CA 90025 PHONE: (310) 478-4540 (310) 479-6978

606 THIRD AVENUE 11TH FLOOR NEW YORK, NY 10158 PHONE: (212) 297-0015 (212) 867-6882

ACUPAT SERVICES ARLINGTON, VA

U.S. Utility Patent Application

Appl. No.: 09/094,505; Filed: June 10, 1998

CAltTRIDGE FILLING AND SEALING APPARATUS

Inventors:

Walter F. KLIMA, Jr. et al.

Our Ref:

Assistant Commissioner for Patents

Washington, D.C. 20231

Re:

100-168P-WLK

Sir:

The following documents are forwarded herewith for appropriate action by the U.S. Patent and Trademark Office (PTO):

- Petition for Extension of Time (in duplicate); 1.
- Amendment and Response; and 2.
- Check No. 4066 in the amount of \$190.00 to cover the two (2) month Extension of 3. Time fee.

It is hereby requested that the attached postcard be stamped with the date of filing of these documents, and that it be returned to our courier.

The Commissioner is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 11-1243. If extensions of time under 37 C.F.R. § 1.136 are required to prevent abandonment of the present patent application, then such extensions of time are hereby petitioned, and any fees therefor are hereby authorized to be charged to our Deposit Account No. 11-1243. A duplicate copy of this letter is enclosed.

espectfully submitted,

Attorney for Applicants Registration No. 32,422

Enclosures

F:\SPRAYEX\09-094505\P06.PTO.wpd